How to use ElectronicMap in Easy7 Smart Client Express

Description: This document will show you how to configure ElectronicMap in Easy7 Smart Client Express.

Prerequisites: Easy7 Smart Client Express



Section 1: Add maps into ElectronicMap interface.

1.1 Click ‘Edit’ and add maps one by one.

1.2 Set map name and browse to select maps (The format is image(*.png*.jpg*.bmp)).





Section 2: Add cameras to maps

2.1 Select Camera in the right device bar.

2.2 Click ‘Preview’ and when the cameras are triggered alarm, right-click the camera icon. There are three function that you can choose: Liveview, Playback and Clear alarm.

2.3 Get into users edit page.







Section 3: Configure hot zone

3.1 Click the hot zone button and choose the map you want to link, and click ‘import’.

3.2 After finishing configuring, back to the preview. And now you can double-click to enter the linkage map.


Tiandy
Home page
ElectronicMap
Playback
Device management
Configure hot zone
E-map
Related hot zone
Import
Export
Confirm
Cancel
©Tiandy Co.,Ltd All Rights Reserved


Tiandy
Home page
ElectronicMap
Playback
Device management
Configure hot zone
E-map
Related hot zone
Import
Export
Confirm
Cancel
©Tiandy Co.,Ltd All Rights Reserved


Tiandy
Home page
ElectronicMap
Playback
Device management
Preview
Full s...
Add m...
Delet...
Modif...
Confi...
Delet...
E-map
all
192.168.1.3-Chann
192.168.3.235-Char
192.168.3.235-Char
1
1
Custom Device List
192.168.1.3
192.168.3.235
192.168.3.235-Chann...
192.168.3.235-Chann...
©Tiandy Co.,Ltd All Rights Reserved