



TC-U3224R Spec: S/C/T

24-Disk Centralized Storage Server



KEY FEATURES

Cache

- Standard with 8GB

Hard Disk

- 24 3.5" SATA

I/O Interface

- Access bandwidth: 512Mbps
- Forwarding bandwidth: 512Mbps
- Number of file storage access channels: 256 channels




SPECIFICATIONS


Standard Configuration	
Processor	64-bit multi-core processor
Cache	Standard with 8GB
System Disk	64G SSD
Number of Disks	24 3.5 SATA enterprise hard disks
I/O Interface	•2 front-end USB2.0 ports and 2 rear USB3.0 ports •2 HDMI ports
Performance	
Raid	•RAID0/1/5/6/10/50/60 •Support area hot spare and local hot spare
Storage Performance	
Bandwidth	•Access bandwidth: 512Mbps •Storage performance video(256 channels):512Mbps •Forwarding performance: 512Mbps
General Norm	
Power Supply	AC220V; 50Hz
Operating Temperature	5°C~40°C
Operating Humidity	10%~90% (No Condensation)
Dimension	542mm (L) × 446.6mm (W) × 173.8mm (H)



DIMENSIONS (Unit: mm)



Physical Interfaces



DISTRIBUTED BY



Tiandy Technologies Co.,Ltd.

Email: sales@tiandy.com
Website: en.tiandy.com

Tel: +86-22-58596065
Fax: +86-22-58596048