



**TC-D322 Spec:MON/P/V2.0**

## 22-inch Plastic LED Monitor



### KEY FEATURES

- Size: 22 inches
- Resolution: 1920\*1080(Full HD)
- Ratio: 16:9
- Backlight: LED
- Brightness:  $\geq 250\text{cd/m}^2$
- Field of view: 178°
- Interface: HDMI\*1, VGA\*1, USB\*1
- Material: plastic
- Standard speaker, HDMI cable, base or bracket
- MTBF  $\geq 30000$  hours



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

**Tiandy Technologies Co.,Ltd.**

Email: [sales@tiandy.com](mailto:sales@tiandy.com)

Website: [en.tiandy.com](http://en.tiandy.com)

Tel: +86-22-58596065

Fax: +86-22-58596048




## SPECIFICATIONS

Panel type	VA
Panel size	21.5 "
Aspect ratio	16:9
Gauge (mm)	0.249*0.241
Resolution	1920×1080 (FHD)
Luminance(cd/m <sup>2</sup> )	250
Contrast	1000:1
Response time (ms)	8 ms
Refresh rate	60HZ
Colouration	16.7M
Haze	Anti-Glare
Hardness	3H
Display size(mm)	478.656(H)×260.28(V)
Viewpoint(H/V)	178 °(H) / 178 °(V)
Video input	HDMI*1, VGA*1
Video output	N/A
Audio input	Yes
Audio output	N/A
Control interface	N/A
Speaker	Yes
OSD(Language)	12 countries (English、Deutsch、Francaise、Español、Italiano、Nederlands、中文、日本、한국어、Dansk、Português、Turkish )
Wall mounting holes (mm)	100*100
Wall mounted threads	4-M4 Screw hole
Input Voltage	DC 12V,2A
Typical power consumption(W)	≤24
Standby power consumption(W)	≤0.5
Operating temperature	0 ~ 40℃
Operating humidity	20% ~ 85% RH Non-Condensing
Storage humidity	10% ~ 90% RH Non-Condensing
Bare metal size(mm)	493.1(W)×382.7(H)×199.8(D)
Package Size(mm)	557(W)×370(H)×140(D)
Net weight(Kg)	2.3
Gross weight(Kg)	3.3

# Tiandy

## DIMENSIONS (Unit: mm)



Tiandy Technologies Co.,Ltd



Tiandy Overseas



Tiandy



@tiandyofficial

**Tiandy Technologies Co.,Ltd.**

Email: [sales@tiandy.com](mailto:sales@tiandy.com)

Website: [en.tiandy.com](http://en.tiandy.com)

Tel: +86-22-58596065

Fax: +86-22-58596048