

How to connect device by Easyddns

Description: This document will show you how to set easyddns function in Web interface of device and add device to APP by Easyddns.

Prerequisites: Easyddns, Easylive Plus APP

Section 1: Set Easyddns function in web interface


1. DDNS setting


1.1 Configuration -> Network -> Basic set.

1.2 Click enabled button, select DDNS type as Easy DDNS.

1.3 Customize the server domain and test it.

1.4 Save and click port forwarding.





2. Port forwarding setting


2.1 Click enabled button.

2.2 The default mapping type is UPNP and the UPNP types are Auto Scan/Manual.


2.3 Save and wait for state to change to activate state.

2.4 If state doesn't change to activate state, select UPNP type to manual type.

2.5 In manual type, could change external port to be different with internal port.




Operation Succeeded





Section 2: Connect device by Easyddns in Website

1. Connect device by Easyddns in Website

1.1 Copy device address and paste into website.





Section 3: Add device by Easydnns to Easylive Plus APP

1. Add device by Easydnns to Easylive Plus APP

- 1.1 Click add button in upper right corner.
- 1.2 Select add by Easyddns way.
- 1.3 Customize the name string.
- 1.4 Enter device address into DNS domain name.
- 1.5 Enter the device account and password into login name and password boxes.

